



SAFETY DATA SHEET L-VALINE REVISION 3, DATE 01 JUL 2022

1. IDENTIFICATION

Product Name	L-Valine
Other Names	No Data Available
Uses	Feed additive.
Chemical Family	No Data Available
Chemical Formula	C ₅ H ₁₁ NO ₂
Chemical Name	2-Amino-3-methylbutanoic acid
Product Description	No Data Available

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Suite 13A.03, Menara Summit Persiaran Kewajipan USJ1 47600 UEP Subang Jaya Selangor, Malaysia	+60-3-5614-2111

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Poisons Information Centre	Australia – Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
National Poison Centre	Malaysia	+60-4-6536-999
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust)

Not Scheduled



Globally Harmonised System

Hazard Classification	NOT hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)
Signal Word	None

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
---------------------------------------	---

Safe Work Australia

National Guide for Classifying Hazardous Chemicals under the Model WHS Regulations

Hazard Classification	NOT hazardous according to the criteria of Safe Work Australia under Model WHS Regulations
------------------------------	--

3. COMPOSITION/INFORMATION ON INGREDIENTS*Ingredients*

Chemical Entity	Formula	CAS Number	Proportion
L-Valine	C5H11NO2	72-18-4	<=100 %

4. FIRST AID MEASURES*Description of necessary measures according to routes of exposure*

Swallowed	IF SWALLOWED: Rinse mouth, then drink plenty of water. Do not induce vomiting. Get medical advice/attention if you feel unwell. If vomiting occurs, lean patient forward or place on the left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Never give anything by mouth to an unconscious person.
Eye	IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists, get medical advice/attention.
Skin	IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs, get medical advice/attention.
Inhaled	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If respiratory symptoms persist, get medical advice/attention. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult.
Advice to Doctor	Treat symptomatically. *Most important symptoms and effects, both acute and delayed: May cause mechanical irritation.
Medical Conditions Aggravated by Exposure	No information available.

5. FIRE FIGHTING MEASURES

General Measures	If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out. Dike fire-control water for later disposal.
Flammability Conditions	Combustible solid; May burn but does not ignite readily.
Extinguishing Media	Use dry chemical, Carbon dioxide (CO ₂), foam or water spray for extinction. Do not scatter spilled material with high-pressure water streams.
Fire and Explosion Hazard	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Hazardous Products of Combustion	Fire may produce irritating and/or toxic gases, including Carbon oxides, Nitrogen oxides (NO _x).
Special Fire Fighting Instructions	Contain runoff from fire control or dilution water - Runoff may cause pollution.
Personal Protective Equipment	Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.
Flash Point	225 °C [Lit.]
Lower Explosion Limit	No Data Available
Upper Explosion Limit	No Data Available
Auto Ignition Temperature	No Data Available
Hazchem Code	No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Ensure adequate ventilation. ELIMINATE all ignition sources. Do not touch or walk through spilled material. Avoid dust formation. Avoid breathing dust and contact with eyes, skin and clothing.
Clean Up Procedures	Sweep or vacuum up, but avoid generating dust. Collect and seal in properly labelled containers for disposal (see SECTION 13).
Containment	Stop leak if you can do it without risk. Prevent dust cloud. Prevent entry into waterways, sewers, basements or confined areas.
Decontamination	No information available.
Environmental Precautionary Measures	Prevent entry into drains and waterways.
Evacuation Criteria	Spill or leak area should be isolated immediately. Keep unauthorised personnel away.
Personal Precautionary Measures	Use personal protective equipment as required (see SECTION 8).

7. HANDLING AND STORAGE

Handling	Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Minimise dust generation and accumulation. Avoid breathing dust and contact with eyes, skin and clothing. Use personal protective equipment as required (see SECTION 8). WARNING: May form combustible dust concentrations in air! Keep away from heat and sources of ignition - No smoking. Take precautionary measures against static discharges.
Storage	Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed. Keep away from heat and sources of ignition - No smoking. Keep away from harmful substances and incompatible materials (see SECTION 10).
Container	Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General	No specific exposure standards are available for this product. For dusts from solid substances without specific occupational exposure standards:
----------------	--

- Safe Work Australia Exposure Standard (Nuisance dusts): 8 hr TWA = 10 mg/m³ (measured as inhalable dust).
- New Zealand WES (Particulates not otherwise classified): TWA = 10 mg/m³; TWA = 3 mg/m³ (respirable dust).

Exposure Limits	No Data Available
Biological Limits	No information available.
Engineering Measures	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.
Personal Protection Equipment	<ul style="list-style-type: none"> - Respiratory protection: Not needed for normal use. Wear respiratory protection if an inhalation risk exists. Recommended: Dust mask/particulate respirator (refer to AS/NZS 1715 & 1716). - Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Safety glasses or goggles. - Hand protection: Handle with gloves. Recommendation: Impervious gloves. - Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Overalls, safety shoes.
Special Hazards Precautions	No information available.
Work Hygienic Practices	Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Take off contaminated clothing and wash it before reuse. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Solid
Appearance	Crystalline powder or granule
Odour	Characteristic
Colour	White to pale brown
pH	No Data Available
Vapour Pressure	No Data Available
Relative Vapour Density	No Data Available
Boiling Point	234 °C
Melting Point	>295 - 315 °C
Freezing Point	No Data Available
Solubility	Soluble in water (88.5 g/L) 25°C
Specific Gravity	1.23
Flash Point	225 °C [Lit.]
Auto Ignition Temp	No Data Available
Evaporation Rate	No Data Available
Bulk Density	No Data Available
Corrosion Rate	No Data Available
Decomposition Temperature	No Data Available
Density	No Data Available
Specific Heat	No Data Available
Molecular Weight	No Data Available
Net Propellant Weight	No Data Available
Octanol Water Coefficient	No Data Available
Particle Size	No Data Available
Partition Coefficient	No Data Available
Saturated Vapour Concentration	No Data Available
Vapour Temperature	No Data Available
Viscosity	No Data Available
Volatile Percent	No Data Available

VOC Volume	No Data Available
Additional Characteristics	No information available.
Potential for Dust Explosion	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Fast or Intensely Burning Characteristics	No information available.
Flame Propagation or Burning Rate of Solid Materials	No information available.
Non-Flammables That Could Contribute Unusual Hazards to a Fire	No information available.
Properties That May Initiate or Contribute to Fire Intensity	Combustible solid; May burn but does not ignite readily.
Reactions That Release Gases or Vapours	Fire/thermal decomposition may produce irritating and/or toxic gases, including Carbon oxides, Nitrogen oxides (NOx).
Release of Invisible Flammable Vapours and Gases	No information available.

10. STABILITY AND REACTIVITY

General Information	No information available.
Chemical Stability	Stable under normal conditions of use.
Conditions to Avoid	Avoid generating dust. Keep away from heat and sources of ignition. Take precautionary measures against static discharges.
Materials to Avoid	Incompatible/reactive with strong oxidising agents.
Hazardous Decomposition Products	Fire/thermal decomposition may produce irritating and/or toxic gases, including Carbon oxides, Nitrogen oxides (NOx).
Hazardous Polymerisation	Will not occur.

11. TOXICOLOGICAL INFORMATION

General Information	<p>Information on toxicological effects:</p> <ul style="list-style-type: none"> - Acute toxicity: Not classified. - Skin corrosion/irritation: No information available. - Serious eye damage/irritation: No information available. - Respiratory/skin sensitisation: No information available. - Germ cell mutagenicity: No information available. - Carcinogenicity: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. - Reproductive toxicity: No information available. - STOT (single exposure): No information available. - STOT (repeated exposure): No information available. - Aspiration toxicity: No information available. <p>Information on possible routes of exposure:</p> <ul style="list-style-type: none"> - Ingestion: No adverse effects expected; however, large amounts may cause nausea and vomiting. - Eye contact: May cause mechanical irritation. - Skin contact: May cause mechanical irritation. - Inhalation: Breathing in dust may result in respiratory irritation. <p>Chronic effects: No information available.</p>
----------------------------	--

Acute

Ingestion	Acute toxicity (Oral): - LD50, Rat (female): >2,000 mg/kg bw. [Supplier's SDS].
Inhalation	Acute toxicity (Inhalation): - LD50, Rat (male/female): >5,260 mg/m3 air (4 h) (analytical) [Supplier's SDS].
Carcinogen Category	None

12. ECOLOGICAL INFORMATION

Ecotoxicity	Aquatic toxicity: - LC50, Fish (Danio rerio): >10 g/L (96 h) [Supplier's SDS]. - EC50, Crustacea (Daphnia magna): >10 g/L (24 h) [Supplier's SDS].
Persistence/Degradability	The material is biodegradable.
Mobility	No information available.
Environmental Fate	Prevent entry into drains and waterways.
Bioaccumulation Potential	No information available.
Environmental Impact	No Data Available

13. DISPOSAL CONSIDERATIONS

General Information	Dispose of contents/container in accordance with local/regional/national regulations. The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing.
Special Precautions for Land Fill	Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

14. TRANSPORT INFORMATION**Land Transport (Australia)**

ADG Code

Proper Shipping Name	L-Valine
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (Malaysia)

ADR Code

Proper Shipping Name	L-Valine
-----------------------------	----------

Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (New Zealand)

NZS5433

Proper Shipping Name	L-Valine
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (United States of America)

US DOT

Proper Shipping Name	L-Valine
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Sea Transport

IMDG Code

Proper Shipping Name	L-Valine
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
EMS	No Data Available
Marine Pollutant	No
Comments	NON-DANGEROUS GOODS: Not regulated for SEA transport.

Air Transport

IATA DGR

Proper Shipping Name	L-Valine
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for AIR transport.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
---------------------------------------	---

15. REGULATORY INFORMATION

General Information	No Data Available
Poisons Schedule (Aust)	Not Scheduled

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code	Not Hazardous
----------------------	---------------

National/Regional Inventories

Australia (AIIIC)	Listed
Canada (DSL)	Listed
Canada (NDSL)	Not Determined
China (IECSC)	Listed
Europe (EINECS)	Listed
Europe (REACH)	Not Determined
Japan (ENCS/METI)	Listed
Korea (KECI)	Listed
Malaysia (List of Classified Substances)	Not Determined
New Zealand (NZIoC)	Listed
Philippines (PICCS)	Listed
Taiwan (TCSI)	Listed
USA (TSCA)	Listed

Mexico (INSQ)

Not Determined

16. OTHER INFORMATION

Related Product Codes	VALINA3500, VALINA3505, VALINA3600, VALINA3605, VALINA3606, VALINA3607, VALINA5000, VALINA6500, VALINA6600, VALINA7505, VALINA7605, VALINA9000, VALINA9050, VALINE1000, VALINE1001, VALINE1002, VALINE1003, VALINE1004, VALINE1005, VALINE1006, VALINE1007, VALINE1008, VALINE2000, VALINE3000, VALINE4000, VALINE6000, VALINE7230
Revision	3
Revision Date	01 Jul 2022
Key/Legend	<p>< Less Than > Greater Than AICS Australian Inventory of Chemical Substances atm Atmosphere CAS Chemical Abstracts Service (Registry Number) cm² Square Centimetres CO₂ Carbon Dioxide COD Chemical Oxygen Demand deg C (°C) Degrees Celcius EPA (New Zealand) Environmental Protection Authority of New Zealand deg F (°F) Degrees Farenheit g Grams g/cm³ Grams per Cubic Centimetre g/l Grams per Litre HSNO Hazardous Substance and New Organism IDLH Immediately Dangerous to Life and Health immiscible Liquids are insoluable in each other. inHg Inch of Mercury inH₂O Inch of Water K Kelvin kg Kilogram kg/m³ Kilograms per Cubic Metre lb Pound LC₅₀ LC stands for lethal concentration. LC₅₀ is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours. LD₅₀ LD stands for Lethal Dose. LD₅₀ is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals. ltr or L Litre m³ Cubic Metre mbar Millibar mg Milligram mg/24H Milligrams per 24 Hours mg/kg Milligrams per Kilogram mg/m³ Milligrams per Cubic Metre Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present. mm Millimetre mmH₂O Millimetres of Water mPa.s Millipascals per Second N/A Not Applicable NIOSH National Institute for Occupational Safety and Health NOHSC National Occupational Heath and Safety Commission OECD Organisation for Economic Co-operation and Development Oz Ounce PEL Permissible Exposure Limit Pa Pascal ppb Parts per Billion ppm Parts per Million ppm/2h Parts per Million per 2 Hours ppm/6h Parts per Million per 6 Hours</p>

psi Pounds per Square Inch
R Rankine
RCP Reciprocal Calculation Procedure
STEL Short Term Exposure Limit
TLV Threshold Limit Value
tne Tonne
TWA Time Weighted Average
ug/24H Micrograms per 24 Hours
UN United Nations
wt Weight