

1. IDENTIFICATION

Product Name	Ferrous sulphate, heptahydrate
Other Names	Ferrous sulfate, heptahydrate; Iron sulfate, heptahydrate
Uses	Water and sewage treatment; reducing agent; wood preservative; fertiliser; chemical manufacture; Feed additive.
Chemical Family	No Data Available
Chemical Formula	FeO4S.7H2O
Chemical Name	Sulfuric acid, iron(2+) salt (1:1), heptahydrate
Product Description	No Data Available

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Level 2, No. 8, Jalan Sapir 33/7 Seksyen 33, Shah Alam Premier Industrial Park 40400 Shah Alam Sengalor, Malaysia	+60-3-5614-2111

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Poisons Information Centre	Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust)

Not Scheduled

Globally Harmonised System

Hazard Classification Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)

Hazard Categories Acute Toxicity (Oral) - Category 4
Skin Corrosion/Irritation - Category 2
Serious Eye Damage/Irritation - Category 2A

Pictograms

Signal Word Warning

Hazard Statements

H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
NZ9.3	Hazardous to terrestrial vertebrates

Precautionary Statements

Prevention	P280	Wear protective gloves/eye protection/face protection.
	P270	Do not eat, drink or smoke when using this product.
Response	P302 + P352	IF ON SKIN: Wash with plenty of water.
	P337 + P313	If eye irritation persists: Get medical attention.
	P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.
	P330	Rinse mouth.
	P332 + P313	If skin irritation occurs: Get medical attention.
	P362	Take off contaminated clothing.
Disposal	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P501	Dispose of contents/container in accordance with local / regional / national / international regulations.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

3. COMPOSITION/INFORMATION ON INGREDIENTS*Ingredients*

Chemical Entity	Formula	CAS Number	Proportion
Ferrous sulfate, heptahydrate	FeSO4.7H2O	7782-63-0	<=100 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed	IF SWALLOWED: Rinse mouth. Do not induce vomiting unless directed to do so by medical personnel. Call a Poison Centre or doctor/physician for advice. Never give anything by mouth to an unconscious person.
Eye	IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists, get medical advice/attention.
Skin	IF ON SKIN: Wash skin with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs, get medical advice/attention.
Inhaled	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If respiratory symptoms persist, get medical advice/attention. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult.
Advice to Doctor	Treat symptomatically. Symptoms may be delayed for several hours.
Medical Conditions Aggravated by Exposure	No information available.

5. FIRE FIGHTING MEASURES

General Measures	If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out.
Flammability Conditions	Non-combustible; Material does not burn.
Extinguishing Media	If material is involved in a fire, use dry chemical, Carbon dioxide (CO ₂), foam or water spray for extinction. Use extinguishing media appropriate to surrounding fire conditions.
Fire and Explosion Hazard	Decomposes on heating, emitting toxic fumes.
Hazardous Products of Combustion	Fire or heat may produce irritating, toxic and/or corrosive fumes, including oxides of Sulfur and Iron.
Special Fire Fighting Instructions	Contain runoff from fire control or dilution water - Runoff may pollute waterways.
Personal Protective Equipment	Wear positive pressure self-contained breathing apparatus (SCBA) and chemical splash suit. SCBA and structural firefighter's uniform may provide limited protection.
Flash Point	No Data Available
Lower Explosion Limit	No Data Available
Upper Explosion Limit	No Data Available
Auto Ignition Temperature	No Data Available
Hazchem Code	No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Ensure adequate ventilation. Do not touch or walk through spilled material. Avoid generating dust. Avoid breathing dust and contact with eyes, skin and clothing.
Clean Up Procedures	Collect material (sweep or vacuum up) and place into suitable, properly labelled containers for disposal (see SECTION 13).
Containment	Stop leak if safe to do so – Prevent entry into waterways, drains or confined areas. Prevent dust cloud.
Decontamination	Wash area down with excess water.
Environmental Precautionary Measures	Prevent entry into drains and waterways.
Evacuation Criteria	Spill or leak area should be isolated immediately. Keep unauthorised personnel away.
Personal Precautionary Measures	Wear protective equipment to prevent skin and eye contamination and inhalation of dust (see SECTION 8).

7. HANDLING AND STORAGE

Handling	Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Avoid generating dust/aerosols. Avoid breathing dust/aerosols and contact with eyes, skin and clothing. Do not ingest. Use personal protective equipment as required (see SECTION 8).
Storage	Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed when not in use - check regularly for spills. Avoid physical damages. Avoid exposure to air and moisture (hygroscopic). Keep away from incompatible materials (see SECTION 10).
Container	Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General	No specific exposure standards are available for this product. For Iron salts, soluble (as Fe): - Safe Work Australia Exposure Standard: TWA = 1 mg/m ³ - New Zealand Workplace Exposure Standards: TWA = 1 mg/m ³ - NIOSH REL: TWA = 1 mg/m ³
Exposure Limits	No Data Available
Biological Limits	No information available.
Engineering Measures	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.
Personal Protection Equipment	- Respiratory protection: In case of inadequate ventilation, wear respiratory protection. Recommended: Dust mask/particulate filter respirator (refer to AS/NZS 1715 & 1716). - Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Safety glasses with side-shields or chemical goggles. - Hand protection: Wear protective gloves. Recommended: Impervious gloves, e.g. Nitrile rubber. - Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Overalls, safety shoes; Complete suit protecting against chemicals.
Special Hazards Precautions	Do not use this product if coated with brownish-yellow basic ferric sulfate.
Work Hygienic Practices	Do not eat, drink or smoke when using this product. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Solid
Appearance	Crystals or powder
Odour	Odourless
Colour	Grey to green (glaucous)
pH	3 - 5 (10% soln.)
Vapour Pressure	No Data Available
Relative Vapour Density	No Data Available
Boiling Point	No Data Available
Melting Point	64 °C
Freezing Point	No Data Available
Solubility	Soluble in water
Specific Gravity	1.898 (Water = 1)
Flash Point	No Data Available

Auto Ignition Temp	No Data Available
Evaporation Rate	No Data Available
Bulk Density	No Data Available
Corrosion Rate	No Data Available
Decomposition Temperature	No Data Available
Density	No Data Available
Specific Heat	No Data Available
Molecular Weight	No Data Available
Net Propellant Weight	No Data Available
Octanol Water Coefficient	No Data Available
Particle Size	No Data Available
Partition Coefficient	No Data Available
Saturated Vapour Concentration	No Data Available
Vapour Temperature	No Data Available
Viscosity	No Data Available
Volatile Percent	No Data Available
VOC Volume	No Data Available
Additional Characteristics	No information available.
Potential for Dust Explosion	No information available.
Fast or Intensely Burning Characteristics	No information available.
Flame Propagation or Burning Rate of Solid Materials	No information available.
Non-Flammables That Could Contribute Unusual Hazards to a Fire	No information available.
Properties That May Initiate or Contribute to Fire Intensity	Non-combustible; Material does not burn.
Reactions That Release Gases or Vapours	Decomposes on heating, emitting toxic fumes, including oxides of Sulfur and Iron.
Release of Invisible Flammable Vapours and Gases	No information available.

10. STABILITY AND REACTIVITY

General Information	Reacts in moist air to form ferric sulfate.
Chemical Stability	Stable under recommended storage conditions.
Conditions to Avoid	Avoid generating dust. Avoid exposure to air and moisture (hygroscopic).
Materials to Avoid	Incompatible/reactive with oxidising agents, alkalis, soluble carbonates.
Hazardous Decomposition Products	Decomposes on heating, emitting toxic fumes, including oxides of Sulfur and Iron.
Hazardous Polymerisation	Hazardous polymerisation will not occur.

11. TOXICOLOGICAL INFORMATION

General Information	- Acute toxicity: Harmful if swallowed; may cause nausea, vomiting, diarrhoea and gastrointestinal irritation. Ingestion of large amounts may cause epigastric pain, vomiting blood, circulatory failure (symptoms may be delayed).
----------------------------	---

- Skin corrosion/irritation: Causes skin irritation.
- Eye damage/irritation: Causes serious eye irritation.
- Respiratory/skin sensitisation: Not sensitising.
- Germ cell mutagenicity: No evidence of mutagenic or teratogenic effects.
- Carcinogenicity: No evidence of carcinogenic properties.
- Reproductive toxicity: No information available.
- STOT (single exposure): Breathing dust may cause respiratory tract irritation, coughing, shortness of breath.
- STOT (repeated exposure): No experimental or epidemiological sufficient evidence for specific target organ toxicity (repeated exposure). Chronic ferric sulfate poisoning may damage blood vessels. Chronic exposure may cause liver effects. Prolonged exposure of the eyes may cause discoloration.
- Aspiration toxicity: No information available.

Acute**Ingestion**

- Acute toxicity (Oral):
- LD50, Rat: 300 - 2,000 mg/kg bw. [ECHA].
 - LD50, Rat: 132 - 881 mg Fe/kg [OECD 432; Supplier's SDS].

Carcinogen Category

None

12. ECOLOGICAL INFORMATION**Ecotoxicity**

- Aquatic toxicity:
- LC50, Fish (Poecilia reticulata): 925 mg/l (96 h) [IUCLID; Supplier's SDS].
 - EC50, Crustacea (Daphnia magna): 152 mg/l (48 h) [IUCLID; Supplier's SDS].

Persistence/Degradability

No information available.

Mobility

No information available.

Environmental Fate

Do not allow undiluted product or large quantities to penetrate into groundwater, water bodies or sewage system.

Bioaccumulation Potential

Does not bioaccumulate or biomagnify.

Environmental Impact

No Data Available

13. DISPOSAL CONSIDERATIONS**General Information**

Dispose of contents/container to a licensed disposal company and in accordance with local/regional/national regulations.

Special Precautions for Land Fill

No information available.

14. TRANSPORT INFORMATION**Land Transport (Australia)**

ADG Code

Proper Shipping Name

Ferrous sulphate, heptahydrate

Class

No Data Available

Subsidiary Risk(s)

No Data Available

No Data Available

UN Number

No Data Available

Hazchem

No Data Available

Pack Group

No Data Available

SAFETY DATA SHEET FERROUS SULPHATE, HEPTAHYDRATE REVISION 3, DATE 01 JUL 21

Special Provision No Data Available
Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (Malaysia)

ADR Code

Proper Shipping Name Ferrous sulphate, heptahydrate
Class No Data Available
Subsidiary Risk(s) No Data Available
No Data Available
UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available
Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (New Caledonia)

Proper Shipping Name Ferrous sulphate, heptahydrate
Class No Data Available
Subsidiary Risk(s) No Data Available
No Data Available
UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available
Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (New Zealand)

NZS5433

Proper Shipping Name Ferrous sulphate, heptahydrate
Class No Data Available
Subsidiary Risk(s) No Data Available
No Data Available
UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available
Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (United States of America)

US DOT

Proper Shipping Name Ferrous sulphate, heptahydrate
Class No Data Available
Subsidiary Risk(s) No Data Available
No Data Available
UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available

SAFETY DATA SHEET FERROUS SULPHATE, HEPTAHYDRATE REVISION 3, DATE 01 JUL 21

Special Provision No Data Available
Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Sea Transport

IMDG Code

Proper Shipping Name Ferrous sulphate, heptahydrate
Class No Data Available
Subsidiary Risk(s) No Data Available
UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available
EMS No Data Available
Marine Pollutant No
Comments NON-DANGEROUS GOODS: Not regulated for SEA transport.

Air Transport

IATA DGR

Proper Shipping Name Ferrous sulphate, heptahydrate
Class No Data Available
Subsidiary Risk(s) No Data Available
UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available
Comments NON-DANGEROUS GOODS: Not regulated for AIR transport.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

15. REGULATORY INFORMATION

General Information No Data Available

Poisons Schedule (Aust) Not Scheduled

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code Additives, Process Chemicals and Raw Materials (Subsidiary Hazard) Group Standard 2020 HSR002503
*HSR003427 (Revoked)

National/Regional Inventories

SAFETY DATA SHEET FERROUS SULPHATE, HEPTAHYDRATE REVISION 3, DATE 01 JUL 21

Australia (AIIC)	Listed
Canada (DSL)	Not Determined
Canada (NDSL)	Not Determined
China (IECSC)	Not Determined
Europe (EINECS)	231-753-5
Europe (REACH)	Not Determined
Japan (ENCS/METI)	Not Determined
Korea (KECI)	Not Determined
Malaysia (EHS Register)	Not Determined
New Zealand (NZIoC)	Listed
Philippines (PICCS)	Not Determined
Switzerland (Giftliste 1)	Not Determined
Switzerland (Inventory of Notified Substances)	Not Determined
Taiwan (NCSR)	Not Determined
USA (TSCA)	Not Determined

16. OTHER INFORMATION

Related Product Codes FESULP0001, FESULP0003, FESULP0600, FESULP0601, FESULP0700, FESULP0800, FESULP0801, FESULP1300, FESULP1400, FESULP1450, FESULP1500, FESULP1501, FESULP1502, FESULP1600, FESULP1601, FESULP1700, FESULP1701, FESULP1800, FESULP1801, FESULP1802, FESULP1803, FESULP1804, FESULP1805, FESULP1806, FESULP1807, FESULP1808, FESULP1809, FESULP1810, FESULP1811, FESULP1812, FESULP1813, FESULP1814, FESULP1815, FESULP1816, FESULP1817, FESULP1818, FESULP1819, FESULP1820, FESULP1821, FESULP1822, FESULP1823, FESULP1824, FESULP1825, FESULP1826, FESULP1827, FESULP1900, FESULP1901, FESULP2000, FESULP2100, FESULP2400, FESULP2500, FESULP2900, FESULP3500, FESULP3501, FESULP3502, FESULP3510, FESULP3900, FESULP3901, FESULP3902, FESULP3903, FESULP4100, FESULP4500, FESULP4501, FESULP4502, FESULP4600, FESULP4800, FESULP4900, FESULP5000, FESULP5001, FESULP5100, FESULP5200, FESULP5300, FESULP5400, FESULP5500, FESULP5501, FESULP5502, FESULP5503, FESULP5504, FESULP6000, FESULP6001, FESULP6100, FESULP6200, FESULP6500, FESULP6600, FESULP6605, FESULP6606, FESULP6607, FESULP6608, FESULP6609, FESULP6610, FESULP6611, FESULP6612, FESULP6613, FESULP6614, FESULP6630, FESULP6640, FESULP6641, FESULP6644, FESULP6645, FESULP6650, FESULP7000, FESULP7001, FESULP7400, FESULP7500, FESULP8000, FESULP8001, FESULP8200, FESULP8300, FESULP8600, FESULP9000, FESULP9500, FESULP9600, FESULP9800, FESULP9900, FESULP9901, FESUPH1000, FESUPH1500, FESUPH2000, FESUPH2500

Revision 3

Revision Date 01 Jul 2021

Key/Legend < Less Than
> Greater Than

- AICS** Australian Inventory of Chemical Substances
- atm** Atmosphere
- CAS** Chemical Abstracts Service (Registry Number)
- cm²** Square Centimetres
- CO₂** Carbon Dioxide
- COD** Chemical Oxygen Demand
- deg C (°C)** Degrees Celcius
- EPA (New Zealand)** Environmental Protection Authority of New Zealand

SAFETY DATA SHEET FERROUS SULPHATE, HEPTAHYDRATE REVISION 3, DATE 01 JUL 21

deg F (°F) Degrees Fahrenheit

g Grams

g/cm³ Grams per Cubic Centimetre

g/l Grams per Litre

HSNO Hazardous Substance and New Organism

IDLH Immediately Dangerous to Life and Health

immiscible Liquids are insoluble in each other.

inHg Inch of Mercury

inH₂O Inch of Water

K Kelvin

kg Kilogram

kg/m³ Kilograms per Cubic Metre

lb Pound

LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.

LD50 LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.

ltr or **L** Litre

m³ Cubic Metre

mbar Millibar

mg Milligram

mg/24H Milligrams per 24 Hours

mg/kg Milligrams per Kilogram

mg/m³ Milligrams per Cubic Metre

Misc or **Miscible** Liquids form one homogeneous liquid phase regardless of the amount of either component present.

mm Millimetre

mmH₂O Millimetres of Water

mPa.s Millipascals per Second

N/A Not Applicable

NIOSH National Institute for Occupational Safety and Health

NOHSC National Occupational Health and Safety Commission

OECD Organisation for Economic Co-operation and Development

Oz Ounce

PEL Permissible Exposure Limit

Pa Pascal

ppb Parts per Billion

ppm Parts per Million

ppm/2h Parts per Million per 2 Hours

ppm/6h Parts per Million per 6 Hours

psi Pounds per Square Inch

R Rankine

RCP Reciprocal Calculation Procedure

STEL Short Term Exposure Limit

TLV Threshold Limit Value

tne Tonne

TWA Time Weighted Average

ug/24H Micrograms per 24 Hours

UN United Nations

wt Weight