

1. IDENTIFICATION

Product Name	Copper Sulphate Solution 20-30%
Other Names	No Data Available
Uses	Industrial use.
Chemical Family	No Data Available
Chemical Formula	Unspecified
Chemical Name	Copper sulfate, pentahydrate, aqueous solution
Product Description	Inorganic salt solution.

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Level 2, No. 8, Jalan Sapir 33/7 Seksyen 33, Shah Alam Premier Industrial Park 40400 Shah Alam Sengalor, Malaysia	+60-3-5614-2111

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Poisons Information Centre	Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust)

Schedule 6

Globally Harmonised System

Hazard Classification Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)

Hazard Categories Acute Toxicity (Oral) - Category 4
 Serious Eye Damage/Irritation - Category 1
 Acute Hazard To The Aquatic Environment - Category 1
 Long-term Hazard To The Aquatic Environment - Category 1

Pictograms



Signal Word Danger

Hazard Statements

H302	Harmful if swallowed.
H318	Causes serious eye damage.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements	Prevention	P273	Avoid release to the environment.
		P270	Do not eat, drink or smoke when using this product.
		P280	Wear eye protection/face protection.
	Response	P391	Collect spillage.
		P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.
		P330	Rinse mouth.
		P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor.
Disposal	P501	Dispose of contents/container in accordance with local / regional / national / international regulations.	

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Safe Work Australia

National Guide for Classifying Hazardous Chemicals under the Model WHS Regulations

Hazard Classification Hazardous according to the criteria of Safe Work Australia under Model WHS Regulations

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Copper sulfate, pentahydrate	Unspecified	7758-99-8	20 - 30 %

Water	H2O	7732-18-5	Balance %
-------	-----	-----------	-----------

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed	IF SWALLOWED: Rinse mouth, then drink plenty of water. Do NOT induce vomiting. For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.
Eye	IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue flushing until advised to stop by a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor, or for at least 15 minutes.
Skin	IF ON SKIN (or hair): Remove and isolate contaminated clothing and shoes. Immediately flush skin and hair with running water for at least 15 minutes. If skin irritation occurs, get medical advice/attention. Wash contaminated clothing and shoes before reuse.
Inhaled	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If respiratory symptoms persist, get medical advice/attention. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult.
Advice to Doctor	Treat symptomatically. Ensure that attending medical personnel are aware of the identity and nature of the product(s) involved, and take precautions to protect themselves. *Most important symptoms and effects, both acute and delayed: Harmful if swallowed. Causes serious eye damage.
Medical Conditions Aggravated by Exposure	No information available.

5. FIRE FIGHTING MEASURES

General Measures	If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out. Dike fire-control water for later disposal.
Flammability Conditions	Non-combustible.
Extinguishing Media	If material is involved in a fire, use dry chemical, Carbon dioxide (CO ₂), foam or water spray for extinction. *Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal foam can be used.
Fire and Explosion Hazard	Decomposes on heating, emitting toxic fumes.
Hazardous Products of Combustion	Fire or heat may produce irritating and/or toxic gases, including oxides of Sulfur.
Special Fire Fighting Instructions	Contain runoff from fire control or dilution water - Runoff may cause pollution.
Personal Protective Equipment	Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.
Flash Point	No Data Available
Lower Explosion Limit	No Data Available
Upper Explosion Limit	No Data Available
Auto Ignition Temperature	No Data Available
Hazchem Code	No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Ensure adequate ventilation. Do not touch or walk through spilled material - Slippery when spilt. Avoid accidents, clean up immediately! Avoid breathing mist/vapours and contact with eyes, skin and clothing.
Clean Up Procedures	Absorb with earth, sand or other non-combustible material and transfer to a suitable, properly labelled container for

SAFETY DATA SHEET COPPER SULPHATE SOLUTION 20-30% REVISION 6, DATE 14 AUG 2024

disposal (see SECTION 13).

Containment

Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. Dike far ahead of large spill for later disposal.

Decontamination

No information available.

Environmental Precautionary Measures

Spillages and decontamination runoff should be prevented from entering drains and watercourses.

Evacuation Criteria

Spill or leak area should be isolated immediately. Keep unauthorised personnel away. Keep upwind and to higher ground.

Personal Precautionary Measures

Use personal protective equipment as required (see SECTION 8).

7. HANDLING AND STORAGE

Handling

Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Avoid breathing mist/vapours/spray and contact with eyes, skin and clothing. Do not ingest. Use personal protective equipment as required (see SECTION 8). Avoid overheating. Avoid release to the environment - Collect spillage (see SECTION 6).

Storage

Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed - Check regularly for leaks. Keep away from foodstuffs and incompatible materials (see SECTION 10).

Container

Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General

No specific exposure standards are available for this product.

COMPONENT: Copper sulfate, pentahydrate (CAS No. 7758-99-8):

- Safe Work Australia Exposure Standard for Copper, dusts & mists (as Cu): TWA = 1 mg/m³.

- New Zealand Workplace Exposure Standard for Copper and its inorganic compounds (as Cu) [Adopted 2020]: TWA = 0.01 mg/m³ (respirable); Dermal sensitiser (dsen).

Exposure Limits

No Data Available

Biological Limits

No information available.

Engineering Measures

A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.

Personal Protection Equipment

- Respiratory protection: In case of inadequate ventilation, wear respiratory protection. Recommended: Suitable mist respirator (refer to AS/NZS 1715 & 1716).

- Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Chemical goggles.

- Hand protection: Wear protective gloves. Recommended: Impervious gloves.

- Skin/body protection: Wear appropriate personal protective clothing to prevent skin contact. Recommended: Overalls, safety shoes.

Special Hazards Precautions

No information available.

Work Hygienic Practices

Do not eat, drink or smoke when using this product. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State

Liquid

Appearance

Clear liquid

Odour

Odourless

Colour

Blue

pH	No Data Available
Vapour Pressure	No Data Available
Relative Vapour Density	No Data Available
Boiling Point	No Data Available
Melting Point	No Data Available
Freezing Point	No Data Available
Solubility	Miscible with water
Specific Gravity	1.148 - 1.160
Flash Point	No Data Available
Auto Ignition Temp	No Data Available
Evaporation Rate	No Data Available
Bulk Density	No Data Available
Corrosion Rate	No Data Available
Decomposition Temperature	No Data Available
Density	No Data Available
Specific Heat	No Data Available
Molecular Weight	No Data Available
Net Propellant Weight	No Data Available
Octanol Water Coefficient	No Data Available
Particle Size	No Data Available
Partition Coefficient	No Data Available
Saturated Vapour Concentration	No Data Available
Vapour Temperature	No Data Available
Viscosity	No Data Available
Volatile Percent	No Data Available
VOC Volume	No Data Available
Additional Characteristics	No information available.
Potential for Dust Explosion	Not applicable.
Fast or Intensely Burning Characteristics	No information available.
Flame Propagation or Burning Rate of Solid Materials	No information available.
Non-Flammables That Could Contribute Unusual Hazards to a Fire	No information available.
Properties That May Initiate or Contribute to Fire Intensity	Non-combustible.
Reactions That Release Gases or Vapours	Decomposes on heating, emitting toxic fumes, including oxides of Sulfur.
Release of Invisible Flammable Vapours and Gases	No information available.

10. STABILITY AND REACTIVITY

General Information	No information available.
Chemical Stability	Stable under normal conditions of use.
Conditions to Avoid	Avoid overheating.
Materials to Avoid	Incompatible/reactive with reducing agents, magnesium.

SAFETY DATA SHEET COPPER SULPHATE SOLUTION 20-30% REVISION 6, DATE 14 AUG 2024

Hazardous Decomposition Products	Decomposes on heating, emitting toxic fumes, including oxides of Sulfur.
Hazardous Polymerisation	Hazardous polymerization will not occur.

11. TOXICOLOGICAL INFORMATION

General Information	<p>Information on toxicological effects:</p> <ul style="list-style-type: none">- Acute toxicity: Harmful if swallowed.- Skin corrosion/irritation: No information available.- Eye damage/irritation: Causes serious eye damage.- Respiratory/skin sensitisation: No information available.- Germ cell mutagenicity: No information available.- Carcinogenicity: No information available.- Reproductive toxicity: No information available.- STOT (single exposure): No information available.- STOT (repeated exposure): No information available.- Aspiration toxicity: No information available. <p>Information on likely routes of exposure:</p> <ul style="list-style-type: none">- Ingestion: Harmful if swallowed. Swallowing can result in nausea, vomiting, diarrhoea, and gastrointestinal irritation.- Eye contact: Causes serious eye damage.- Skin contact: May cause irritation.- Inhalation: Breathing in mists or aerosols may produce respiratory irritation. <p>Chronic effects: No information available.</p>
Acute	
Ingestion	<p>Acute toxicity (Oral): COMPONENT: Copper sulphate, pentahydrate (CAS No. 7758-99-8): - ATE = 481 mg/kg bw. [HCIS].</p>
Carcinogen Category	None

12. ECOLOGICAL INFORMATION

Ecotoxicity	M = 10 (acute) M = 1 (chronic)
Persistence/Degradability	No information available.
Mobility	No information available.
Environmental Fate	Very toxic to aquatic life with long lasting effects - Avoid release to the environment.
Bioaccumulation Potential	No information available.
Environmental Impact	No Data Available

13. DISPOSAL CONSIDERATIONS

General Information	Dispose of contents/container in accordance with local/regional/national regulations.
Special Precautions for Land Fill	No information available.

14. TRANSPORT INFORMATION

Land Transport (Australia)

ADG Code

Proper Shipping Name	Copper Sulphate Solution 20-30%
Class	No Data Available
Subsidiary Risk(s)	No Data Available
EPG	47 Low To Moderate Hazard Substances
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	AU01
Comments	Not regulated as DG when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg(L) or IBCs.

Land Transport (Malaysia)

ADR Code

Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Contains Copper sulphate, pentahydrate)
Class	9 Miscellaneous Dangerous Goods and Articles
Subsidiary Risk(s)	No Data Available
EPG	47 Low To Moderate Hazard Substances
UN Number	3082
Hazchem	3Z
Pack Group	III
Special Provision	No Data Available

Land Transport (New Zealand)

NZS5433

Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Contains Copper sulphate, pentahydrate)
Class	9 Miscellaneous Dangerous Goods and Articles
Subsidiary Risk(s)	No Data Available
EPG	47 Low To Moderate Hazard Substances
UN Number	3082
Hazchem	3Z
Pack Group	III
Special Provision	No Data Available

Land Transport (United States of America)

US DOT

Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Contains Copper sulphate, pentahydrate)
Class	9 Miscellaneous Dangerous Goods and Articles
Subsidiary Risk(s)	No Data Available
ERG	171 Substances (Low to Moderate Hazard)
UN Number	3082
Hazchem	3Z
Pack Group	III
Special Provision	No Data Available

Sea Transport

IMDG Code

Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Contains Copper sulphate, pentahydrate)
Class	9 Miscellaneous Dangerous Goods and Articles
Subsidiary Risk(s)	No Data Available
UN Number	3082
Hazchem	3Z
Pack Group	III
Special Provision	No Data Available
EMS	F-A, S-F
Marine Pollutant	Yes

Air Transport

IATA DGR

Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Contains Copper sulphate, pentahydrate)
Class	9 Miscellaneous Dangerous Goods and Articles
Subsidiary Risk(s)	No Data Available
UN Number	3082
Hazchem	3Z
Pack Group	III
Special Provision	No Data Available

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
---------------------------------------	---

15. REGULATORY INFORMATION

General Information	COPPER SULFATE
Poisons Schedule (Aust)	Schedule 6

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code	HSR002503 - Additives, Process Chemicals and Raw Materials (Subsidiary Hazard) Group Standard 2020
----------------------	--

National/Regional Inventories

Australia (AIC)	Listed
Canada (DSL)	Not Determined
Canada (NDSL)	Not Determined

SAFETY DATA SHEET COPPER SULPHATE SOLUTION 20-30% REVISION 6, DATE 14 AUG 2024

China (IECSC)	Not Determined
Europe (EINECS)	Not Determined
Europe (REACH)	Not Determined
Japan (ENCS/METI)	Not Determined
Korea (KECI)	Not Determined
Malaysia (EHS Register)	Not Determined
New Zealand (NZIoC)	Listed
Philippines (PICCS)	Not Determined
Switzerland (Giftliste 1)	Not Determined
Switzerland (Inventory of Notified Substances)	Not Determined
Taiwan (NCSR)	Not Determined
USA (TSCA)	Not Determined

16. OTHER INFORMATION

Related Product Codes	COPLIQ1400, COPLIQ1500, COPLIQ2000, COPLIQ2400, COPLIQ2500, COPLIQ2501, COPLIQ2600, COPLIQ3000, COPLIQ3001, COPLIQ4300, COPLIQ4400, COPLIQ6000, COPLIQ6200, COPLIQ6800, COPLIQ6802, COPLIQ6806, COPLIQ6809
Revision	6
Revision Date	14 Aug 2024
Key/Legend	<p>< Less Than > Greater Than</p> <p>AICS Australian Inventory of Chemical Substances atm Atmosphere CAS Chemical Abstracts Service (Registry Number) cm² Square Centimetres CO₂ Carbon Dioxide COD Chemical Oxygen Demand deg C (°C) Degrees Celcius EPA (New Zealand) Environmental Protection Authority of New Zealand deg F (°F) Degrees Farenheit g Grams g/cm³ Grams per Cubic Centimetre g/l Grams per Litre HSNO Hazardous Substance and New Organism IDLH Immediately Dangerous to Life and Health immiscible Liquids are insoluable in each other. inHg Inch of Mercury inH₂O Inch of Water K Kelvin kg Kilogram kg/m³ Kilograms per Cubic Metre lb Pound LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours. LD50 LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals. ltr or L Litre</p>

SAFETY DATA SHEET COPPER SULPHATE SOLUTION 20-30% REVISION 6, DATE 14 AUG 2024

m³ Cubic Metre

mbar Millibar

mg Milligram

mg/24H Milligrams per 24 Hours

mg/kg Milligrams per Kilogram

mg/m³ Milligrams per Cubic Metre

Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present.

mm Millimetre

mmH₂O Millimetres of Water

mPa.s Millipascals per Second

N/A Not Applicable

NIOSH National Institute for Occupational Safety and Health

NOHSC National Occupational Health and Safety Commission

OECD Organisation for Economic Co-operation and Development

Oz Ounce

PEL Permissible Exposure Limit

Pa Pascal

ppb Parts per Billion

ppm Parts per Million

ppm/2h Parts per Million per 2 Hours

ppm/6h Parts per Million per 6 Hours

psi Pounds per Square Inch

R Rankine

RCP Reciprocal Calculation Procedure

STEL Short Term Exposure Limit

TLV Threshold Limit Value

tne Tonne

TWA Time Weighted Average

ug/24H Micrograms per 24 Hours

UN United Nations

wt Weight