

1. IDENTIFICATION

Product Name Iron Oxide Red

Other Names C.I. Pigment Red 101; Diiron trioxide; ECONOMIX BRICK RED; Ferric oxide; Iron oxide, red; Iron trioxide

Uses Colorants (pigments and dyestuffs), inorganic.

No Data Available **Chemical Family**

Chemical Formula Fe203 **Chemical Name** Iron oxide

Product Description No Data Available

Contact Details of the Supplier of this Safety Data Sheet

Organisation Location Telephone Redox Ltd 2 Swettenham Road +61-2-97333000

> Minto NSW 2566 Australia

Redox Ltd 11 Mayo Road +64-9-2506222

> Wiri Auckland 2104 New Zealand

3960 Paramount Boulevard Redox Inc. +1-424-675-3200

Suite 107

Lakewood CA 90712

USA

Redox Chemicals Sdn Bhd Level 2, No. 8, Jalan Sapir 33/7 +60-3-5614-2111

Seksyen 33, Shah Alam Premier Industrial Park

40400 Shah Alam Sengalor, Malaysia

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation Location Telephone Poisons Information Centre Westmead NSW 1800-251525 131126 Chemcall Australia 1800-127406 +64-4-9179888 +64-4-9179888 Chemcall Malaysia

Chemcall New Zealand 0800-243622

+64-4-9179888

National Poisons Centre New Zealand 0800-764766

CHEMTREC USA & Canada 1-800-424-9300 CN723420

+1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust) Not Scheduled

Auckland

London



Globally Harmonised System

Hazard Classification NOT hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of

Chemicals (GHS)

Signal Word None

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods

by Road & Rail (ADG Code)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Iron oxide	Fe203	1309-37-1	>=60 - <=100 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed IF SWALLOWED: Rinse mouth, then drink a glass of water. Do not induce vomiting. Get medical advice/attention if you

feel unwell.

Eye IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting

the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. If eye

irritation persists, get medical advice/attention.

Skin IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation

occurs, get medical advice/attention.

Inhaled IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If respiratory symptoms

persist, get medical advice/attention.

Advice to Doctor Treat symptomatically.

Medical Conditions Aggravated by No information available.

Exposure

5. FIRE FIGHTING MEASURES

General Measures If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out.

Flammability Conditions Non-combustible; Material does not burn.

Extinguishing Media If material is involved in a fire, use extinguishing media suitable for other combustible materials in the area.

Fire and Explosion Hazard Decomposes on heating, emitting toxic fumes.

Hazardous Products of

Fire or heat may produce irritating, toxic and/or corrosive fumes, including Iron oxides.

Combustion

Special Fire Fighting Instructions Contain runoff from fire control or dilution water - Runoff may pollute waterways.

Personal Protective Equipment Wear self-contained breathing apparatus (SCBA) and chemical splash suit. SCBA and structural firefighter's uniform may

provide limited protection.

Flash Point
No Data Available
Lower Explosion Limit
No Data Available
Upper Explosion Limit
No Data Available
Auto Ignition Temperature
No Data Available
Hazchem Code
No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure Ensure adequate ventilation. Do not touch or walk through spilled material. Avoid generating dust. Avoid breathing dust

and contact with eyes, skin and clothing

Clean Up Procedures Move containers from spill area. Vacuum or sweep up material and place in a designated, labelled waste container.

Dispose of via a licensed waste disposal contractor (see SECTION 13).

Containment Stop leak if safe to do so — Prevent entry into waterways, drains or confined areas. Prevent dust cloud.

Decontamination

Environmental Procautionary

Environmental Precautionary

Measures

Prevent entry into drains and waterways.

Wash area down with excess water.

Evacuation Criteria Spill or leak area should be isolated immediately. Keep unauthorised personnel away.

Personal Precautionary Measures Use personal protective equipment as required (see SECTION 8).

7. HANDLING AND STORAGE

Handling Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure

adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Minimise dust generation and accumulation. Avoid breathing dust and contact with eyes, skin and clothing. Do not ingest. Use personal protective

equipment as required (see SECTION 8).

Storage Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed when not in use. Ensure

containers are adequately labelled and protected from physical damage. Keep away from foodstuffs and incompatible

materials (see SECTION 10).

Container Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General For Iron oxide fume (Fe2O3) (CAS No. 1309-37-1):

- Safe Work Australia Exposure Standard: TWA = 5 mg/m3 (as Fe).
- New Zealand Workplace Exposure Standard: TWA = 5 mg/m3 (as Fe).

For dusts from solid substances without specific occupational exposure standards:

- Safe Work Australia Exposure Standard (Nuisance dusts): 8 hr TWA = 10 mg/m3 (measured as inhalable dust). - New Zealand WES (Particulates not otherwise classified): TWA = 10 mg/m3; TWA = 3 mg/m3 (respirable dust).

Exposure Limits No Data Available

Biological Limits No information available.

Engineering Measures A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust

ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing

dispersion of it into the general work area.

Personal Protection Equipment - Respiratory protection: In case of inadequate ventilation, wear respiratory protection. Recommended: Dust

mask/particulate filter respirator (refer to AS/NZS 1715 & 1716).

- Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Safety glasses with side shields
- Hand protection: Handle with gloves. Recommended: Impervious gloves.
- Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Overalls, safety shoes.

Special Hazards Precaustions

No information available.

Work Hygienic Practices

Do not eat, drink or smoke when using this product. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical StateSolidAppearancePowderOdourOdourlessColourRed

pH ca. 3.5 - 7 (100 g/L H20)

Vapour PressureNo Data AvailableRelative Vapour DensityNo Data AvailableBoiling PointNo Data AvailableMelting PointNo Data AvailableFreezing PointNo Data Available

Solubility Insoluble in water (<0.5%)

Specific GravityNo Data AvailableFlash PointNo Data AvailableAuto Ignition TempNo Data AvailableEvaporation RateNo Data AvailableBulk DensityNo Data AvailableCorrosion RateNo Data AvailableDecomposition TemperatureNo Data Available

Density 5.0 g/cm³

Specific Heat No Data Available **Molecular Weight** No Data Available **Net Propellant Weight** No Data Available **Octanol Water Coefficient** No Data Available **Particle Size** No Data Available **Partition Coefficient** No Data Available **Saturated Vapour Concentration** No Data Available **Vapour Temperature** No Data Available No Data Available Viscosity **Volatile Percent** No Data Available **VOC Volume** No Data Available

Additional Characteristics No information available.

Potential for Dust Explosion No information available.

Fast or Intensely Burning No information available.

Flame Propagation or Burning Rate of Solid Materials

Characteristics

No information available.

Non-Flammables That Could Contribute Unusual Hazards to a No information available.

No information available.

Fire

Properties That May Initiate or Contribute to Fire Intensity

Non-combustible; Material does not burn.

Reactions That Release Gases or

Vapours

Decomposes on heating, emitting toxic fumes, including Iron oxides.

Release of Invisible Flammable

Vapours and Gases

10. STABILITY AND REACTIVITY

General Information Under normal conditions of storage and use, hazardous reactions will not occur.

Chemical Stability The product is stable.

Conditions to Avoid Avoid generating dust. Avoid exposure to heat.

Incompatible/reactive with strong oxidising agents, peroxides, acids, alkali metals. **Materials to Avoid**

Hazardous Decomposition

Products

Decomposes on heating, emitting toxic fumes, including Iron oxides.

Hazardous Polymerisation Will not occur.

11. TOXICOLOGICAL INFORMATION

General Information Information on possible routes of exposure:

- Ingestion: Not a hazard in normal industrial use. No harmful effects expected.
- Eye contact: May cause mechanical irritation to the eyes. Excessive exposure to airborne dust may reduce visibility and/or cause unpleasant deposits.
- Skin contact: Will not irritate skin and is not likely to cause allergic skin reaction. Injury to the skin can occur by direct mechanical action or by rigorous skin cleaning necessary for removal of dust.
- Inhalation: Breathing in dust may result in respiratory irritation. Gases/fumes, irritating to the respiratory tract, may be

given off during burning or thermal decomposition. Chronic effects: No information available.

Carcinogen Category None

12. ECOLOGICAL INFORMATION

Ecotoxicity No information available. Persistence/Degradability No information available. Mobility No information available.

Environmental Fate Prevent entry into drains and waterways.

Bioaccumulation Potential No information available. **Environmental Impact** No Data Available

13. DISPOSAL CONSIDERATIONS

Dispose of contents/container in accordance with local/regional national regulations.

General Information

Special Precautions for Land Fill No information available.

14. TRANSPORT INFORMATION

Land Transport (Australia)

ADG Code

Proper Shipping Name Iron Oxide Red
Class No Data Available
Subsidiary Risk(s) No Data Available
No Data Available
UN Number No Data Available

Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (Malaysia)

ADR Code

Proper Shipping Name Iron Oxide Red
Class No Data Available
Subsidiary Risk(s) No Data Available
No Data Available

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (New Zealand)

NZS5433

Proper Shipping Name Iron Oxide Red
Class No Data Available
Subsidiary Risk(s) No Data Available
No Data Available

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (United States of America)

US DOT

Proper Shipping Name Iron Oxide Red

Class No Data Available
Subsidiary Risk(s) No Data Available

No Data Available

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Sea Transport

IMDG Code

Proper Shipping Name Iron Oxide Red Class No Data Available No Data Available Subsidiary Risk(s) **UN Number** No Data Available Hazchem No Data Available No Data Available **Pack Group Special Provision** No Data Available **EMS** No Data Available

Marine Pollutant No

Comments NON-DANGEROUS GOODS: Not regulated for SEA transport.

Air Transport

IATA DGR

Proper Shipping NameIron Oxide RedClassNo Data AvailableSubsidiary Risk(s)No Data AvailableUN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data Available

Comments NON-DANGEROUS GOODS: Not regulated for AIR transport.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods ClassificationNOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods

by Road & Rail (ADG Code)

15. REGULATORY INFORMATION

General Information No Data Available
Poisons Schedule (Aust) Not Scheduled

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code Not Hazardous

National/Regional Inventories

Australia (AIIC) Listed

Canada (DSL) Not Determined

Canada (NDSL) Not Determined

China (IECSC) Not Determined

Europe (EINECS) 215-168-2

Europe (REACh) Listed

Japan (ENCS/METI) Not Determined

Korea (KECI) Not Determined

Malaysia (EHS Register) Not Determined

New Zealand (NZIoC) Listed

Philippines (PICCS) Not Determined

Switzerland (Giftliste 1) Not Determined

Switzerland (Inventory of Notified

Substances)

Not Determined

Taiwan (NCSR) Not Determined

USA (TSCA) Not Determined

16. OTHER INFORMATION

Related Product Codes

IROREA1000, IROREA1001, IROREA1500, IROREB1000, IROREB1500, IROREC1000, IROREC1001, IROREC1002, IROREC1500, IROREC1501, IROREC2200, IROREC2201, IROREC2205, IROREC3000, IROREC3050, IROREC3055, IROREC3100, IROREC3130, IROREC3150, IROREC3200, IROREC3230, IROREC3250, IROREC3260, IROREC3300, IROREC3350, IROREC3460, IRORED0200, IRORED1000, IRORED1001, IRORED1500, IRORED1501, IRORED2000, IRORED3001, IRORED3101, IRORED3201, IRORED3300, IRORED3310, IRORED3320, IROREE1000, IROREE1500, IROREE2200, IROREE2205, IROREF1000, IROREF1001, IROREF1002, IROREF1500, IROREF1501, IROREF2000, IROREF2201, IROREF2100, IROREF2200, IROREF2201, IROREF2202, IROREF2205, IROREF2400, IROREF2500, IROREF2501, IROREF3000, IROREG1000, IROREG1001, IROREG1500, IROREH1000, IROREH1001, IROREH1002, IROREH1500, IROREH1501, IROREH2000, IROREH2200, IROREH3000, IROREH3001, IROREI1000, IROREI1500, IROREJ3000, IROREJ1000, IROREJ1001, IROREJ1500, IROREJ2000, IROREJ2001, IROREJ2100, IROREJ2200, IROREJ5000, IROREJ5001, IROREJ5100, IROREJ5500, IROREJ6000, IROREK1000, IROREK1500, IROREK1600, IROREK2200, IROREL1000, IROREL1001, IROREL1002, IROREL1500, IROREL2000, IROREM1000, IROREM1001, IROREM1500, IROREM2000, IROREM2001, IROREM2200, IROREM2201, IROREM3000, IROREM3001, IROREM1000, IROREN1500, IROREN2200, IROREO1000, IROREP1000, IROREQ1000, IRORER1000, IRORER1500, IRORES1000, IRORES1500, IRORET1000, IROREU1000, IROREX8000, IROREY1000, IROREZ1000, IROREZ1001, IROREZ1002, IROREZ1003, IROREZ1004, IROREZ1005, IROREZ1006, IROREZ1100, IROREZ2000, IROREZ2001, IROREZ2002, IROREZ2003, IROREZ2004, IROREZ2005, IROREZ2500, IROREZ2501, IROREZ3000, IROREZ3001, IROREZ3002, IROREZ3003, IROREZ3004, IROREZ3005, IROREZ4000, IROREZ4001, IROREZ4002, IROREZ4003, IROREZ4004, IROREZ5000, IROREZ5001

Revision 3

Revision Date 03 Jan 2020
Reason for Issue Update SDS

Key/Legend

< Less Than
> Greater Than

AICS Australian Inventory of Chemical Substances

atm Atmosphere

CAS Chemical Abstracts Service (Registry Number)

cm² Square CentimetresCO2 Carbon Dioxide

COD Chemical Oxygen Demand **deg C (°C)** Degrees Celcius

EPA (New Zealand) Environmental Protection Authority of New Zealand

deg F (°F) Degrees Farenheit

g Grams

g/cm3 Grams per Cubic Centimetre

g/I Grams per Litre

HSNO Hazardous Substance and New Organism **IDLH** Immediately Dangerous to Life and Health **immiscible** Liquids are insoluable in each other.

inHg Inch of Mercury
inH2O Inch of Water

K Kelvin **kg** Kilogram

kg/m³ Kilograms per Cubic Metre

Ib Pound

LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.

LD50 LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.

Itr or L Litre m³ Cubic Metre mbar Millibar mg Milligram

mg/24H Milligrams per 24 Hours mg/kg Milligrams per Kilogram

mg/m³ Milligrams per Cubic Metre

Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present.

mm Millimetre

mmH20 Millimetres of Water mPa.s Millipascals per Second

N/A Not Applicable

NIOSH National Institute for Occupational Safety and Health **NOHSC** National Occupational Heath and Safety Commission

OECD Organisation for Economic Co-operation and Development

Oz Ounce

PEL Permissible Exposure Limit

Pa Pascal

ppb Parts per Billion

ppm Parts per Million

ppm/2h Parts per Million per 2 Hours
ppm/6h Parts per Million per 6 Hours

psi Pounds per Square Inch

R Rankine

RCP Reciprocal Calculation Procedure

STEL Short Term Exposure Limit

TLV Threshold Limit Value

tne Tonne

TWA Time Weighted Average

ug/24H Micrograms per 24 Hours

UN United Nations

wt Weight